



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/803,418	03/09/2001	Lawrence E. Conway	RDM 01-002	4815

26353 7590 11/05/2002

WESTINGHOUSE ELECTRIC COMPANY, LLC
P.O. BOX 355
PITTSBURGH, PA 15230-0355

EXAMINER

RICHARDSON, JOHN A

ART UNIT	PAPER NUMBER
----------	--------------

3641

DATE MAILED: 11/05/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/803,418

Applicant(s)

CONWAY ET AL.

Examiner

John Richardson

Art Unit

3641

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 August 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 to 36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1 to 36 are subject to restriction and/or election requirement.

PETER M. POON
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other:

DETAILED ACTION

Election/Restrictions

1). Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1 to 13, drawn to an apparatus, classified in class 376, subclass 282.
- II. Claims 14 to 20, drawn to an apparatus, classified in class 376, subclass 283.
- III. Claims 21 to 36, drawn to a process, classified in class 376, subclass 277.

Inventions I and II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because does not require the incorporation of at least one suppression tank. The subcombination has separate utility such as a means for storing borated water.

Inventions III and I, II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as

Art Unit: 3641

claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case, the apparatus as claimed can be used to practice another and materially different process such as for nuclear reactor operations exceeding 3 hours in duration.

2). Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

3). Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Art Unit: 3641

4). Upon election of any of the inventions set forth in I to III above, the applicant is further required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1, 14, 20, 21, 30, 32 are considered to be generic.

A. The embodiment wherein the number of steam generators (item 9) is four as shown in Figure 1.

B. The embodiment wherein the number of steam generators (item 9) is less than four as stated in specification, page 5, line 31.

C. The embodiment wherein the number of steam generators (item 9) is more than four as stated in specification page, 5, line 31.

5). Upon election of any of the inventions set forth in I to III above, the applicant is further required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable.

R. The embodiment wherein the number of suppression tanks (item 45) is one as shown for example, in Figure 1.

S. The embodiment wherein the number of suppression tanks (item 45) is six, as shown for example, in Figure 2.

6). Upon election of any of the inventions set forth in I to III above, the applicant is further required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable.

X. The embodiment wherein the number of heat exchangers (item 29) outside the containment is four as stated in specification page 7, lines 21 to 25, and shown in Figure 1.

Y. The embodiment wherein the number of heat exchangers (item 29) outside the containment is less than four as stated in specification, page 7, lines 21 to 25, and shown in Figure 1.

Z. The embodiment wherein the number of heat exchangers (item 29) outside the containment is more than four, as stated in specification page 7, lines 21 to 25, and shown in Figure 1.

Art Unit: 3641

7). Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

8). Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

9). Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Richardson whose telephone number is (703) 305

Art Unit: 3641


0764. The examiner can normally be reached on Monday to Thursday from 7.00 AM to 4.30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone, can be reached on (703) 306 4198. The fax phone number for the organization where this application or proceeding is assigned is (703) 305 7687.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 1113.

John Richardson, PE,

November 04 2002.



PETER M. POON
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600